

Maryland

HA

421

.A35

1956-64

folio

Maryland
HA
421
.A35
1961
folios

Maryland Room
University of Maryland Library
College Park, Md.

PROVISIONAL VITAL STATISTICS TABLES. MARYLAND, 1961

Preliminary. Based on calendar year figures. Only births and deaths recorded in Maryland are included. A final report including more data and inter-state corrections for non-resident births and deaths, will be available by about September, 1962.

Division of Statistical Research and Records
Maryland State Department of Health
301 W. Preston Street
Baltimore 1, Maryland
February, 1962

U. OF MD. LIBRARY

DEPT. OF STATISTICS

TABLE 1. DEATHS FOR SELECTED CAUSES BY RACE, MARYLAND, 1961 AND 1960*

CAUSE OF DEATH (7th Rev. International List No.)	Both Races			White			Nonwhite		
	1961	1960	Change	1961	1960	Change	1961	1960	Change
All Causes	27,462	27,770	-308	21,970	22,182	-212	5,492	5,588	- 96
Diseases of the heart (400-443)	11,539	11,402	+137	9,658	9,693	- 35	1,881	1,709	+172
Malignant Neoplasms (140-205)	4,511	4,419	+ 92	3,781	3,661	+120	730	758	- 28
Vascular lesions of central nervous system (330-334)	2,279	2,333	- 54	1,832	1,871	- 39	447	462	- 15
All accidents (800-962)	1,294	1,329	- 35	975	998	- 23	319	331	- 12
Motor Vehicle (810-835)	452	527	- 75	354	419	- 65	98	108	- 10
Certain diseases of early infancy (760-776)	1,176	1,260	- 84	708	775	- 67	468	485	- 17
Congenital malformations (750-759)	412	403	+ 9	337	319	+ 18	75	84	- 9
Influenza & pneumonia (480-493)	749	947	-198	542	642	-100	207	305	- 98
Tuberculosis, all forms (001-019)	268	265	+ 3	152	168	- 17	116	97	+ 19
Diabetes mellitus (260)	546	556	- 10	449	453	- 4	97	103	- 6
Arteriosclerosis (450)	515	550	- 35	465	474	- 9	50	76	- 26
Nephritis & nephrosis (590-594)	229	212	+ 17	149	151	- 2	80	61	+ 19
Suicide (970-979)	289	302	- 13	267	275	- 8	22	27	- 5
Homicide (980-985)	144	165	- 21	59	56	+ 3	85	109	- 24
Syphilis (020-029)	76	50	+ 26	34	10	+ 24	42	40	+ 2
Poliomyelitis (080)	3	8	- 5	3	3	-	-	5	- 5

* The preliminary figures refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted.

TABLE 2. DEATH RATES FOR SELECTED CAUSES BY RACE, MARYLAND, 1961 AND 1960*

CAUSE OF DEATH (7th Rev. International List No.)	Both Races			White			Nonwhite		
	1961	1960	Per Cent change	1961	1960	Per Cent Change	1961	1960	Per Cent Change
All Causes	8.6	8.9	- 3.4	8.3	8.6	- 3.5	10.2	10.5	- 2.9
Diseases of the heart (400-443)	361.9	365.5	- 1.0	364.7	374.3	- 2.6	348.1	322.3	+ 8.0
Malignant neoplasms (140-205)	141.5	141.7	- 0.2	142.8	141.4	+ 1.0	135.1	143.0	- 5.5
Vascular lesions of central nervous system (330-334)	71.5	74.8	- 4.4	69.2	72.3	- 4.3	82.7	87.1	- 5.1
All accidents (800-962)	40.6	42.6	- 4.7	36.8	38.5	- 4.4	59.0	62.4	- 5.4
Motor Vehicle (810-835)	14.2	16.9	-16.0	13.4	16.2	-17.3	18.1	20.4	-11.3
Certain diseases of early infancy (760-776)	36.9	40.4	- 8.7	26.7	29.9	-10.7	86.6	91.5	- 5.4
Congenital malformations (750-776)	12.9	12.9	-	12.7	12.3	+ 3.3	13.9	15.8	-12.0
Influenza & pneumonia (480-493)	23.5	30.4	-22.7	20.5	24.8	-17.3	38.3	57.5	-33.4
Tuberculosis, all forms (001-019)	8.4	8.5	- 1.2	5.7	6.5	-12.3	21.5	18.3	+17.5
Diabetes mellitus (260)	17.1	17.8	- 3.9	17.0	17.5	- 2.9	18.0	19.4	- 7.2
Arteriosclerosis (450)	16.2	17.6	- 8.0	17.6	18.3	- 3.8	9.3	14.3	-35.0
Nephritis & nephrosis (590-594)	7.2	6.8	+ 5.9	5.6	5.8	- 3.4	14.8	11.5	+28.7
Suicide (970-979)	9.1	9.7	- 6.2	10.1	10.6	- 4.7	4.1	5.1	-19.6
Homicide (980-985)	4.5	5.3	-15.1	2.2	2.2	-	15.7	20.6	-23.8
Syphilis (020-029)	2.4	1.6	+50.0	1.3	0.4	+225.0	7.8	7.5	+ 4.0
Poliomyelitis (080)	0.09	0.26	**	0.11	0.12	**	-	0.94	-

* These preliminary figures refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted. Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.

** Numbers too small for significance.

TABLE 3. DEATHS BY COUNTY FOR SELECTED CAUSES, MARYLAND, 1961*

Area	All causes	Diseases of the heart	Malignant neoplasms	Vascular lesions of central nervous system	Accidents-excl. motor vehicle	Motor vehicle accidents	Influenza and pneumonia	Tuberculosis, all forms	Arteriosclerosis	Diabetes mellitus	Nephritis and nephrosis	Syphilis, all forms	Congenital malformations	Certain diseases of early infancy	Puerperal causes
Maryland State	27,462	11,539	4,511	2,279	842	452	749	268	515	546	229	76	412	1,176	29
Baltimore City	11,317	4,826	1,897	834	281	103	336	159	163	242	90	30	145	496	13
Total Counties	16,145	6,713	2,614	1,445	561	349	413	109	352	304	139	46	267	680	16
Allegany	952	477	132	84	27	13	11	3	36	23	22	5	8	26	-
Anne Arundel	1,330	524	226	94	59	37	31	13	9	25	11	10	25	72	3
Baltimore	3,293	1,448	623	219	69	56	77	17	50	65	20	2	61	155	-
Calvert	139	46	17	11	3	3	2	-	3	5	-	1	1	5	1
Caroline	251	111	27	28	3	7	3	6	12	4	2	1	2	7	1
Carroll	497	239	78	42	12	6	14	2	9	9	3	-	5	15	1
Cecil	423	166	55	30	25	14	10	3	12	7	10	1	11	16	-
Charles	248	84	28	23	21	24	5	-	-	3	6	-	5	19	3
Dorchester	403	208	43	32	11	8	12	5	11	6	4	3	3	11	-
Frederick	710	316	103	72	19	10	20	5	15	18	3	-	11	22	-
Garrett	216	93	39	25	4	7	8	2	9	2	-	-	4	1	-
Harford	585	240	87	42	24	21	19	4	9	17	2	1	11	35	1
Howard	278	103	42	23	7	8	9	4	2	3	7	-	2	16	-
Kent	184	58	19	33	12	3	9	1	8	2	2	-	-	7	-
Montgomery	2,170	790	470	224	58	29	57	9	53	28	13	6	59	75	1
Prince Georges	1,681	712	226	142	87	46	47	11	29	28	12	5	31	94	2
Queen Annes	192	69	22	37	9	7	7	2	4	6	1	2	3	1	1
Saint Marys	232	66	34	28	25	8	10	3	2	1	1	1	2	20	-
Somerset	279	104	39	32	9	4	10	6	13	4	6	2	4	4	2
Talbot	301	116	53	37	7	3	6	2	17	7	1	1	3	12	-
Washington	971	430	141	103	30	8	21	6	37	21	6	1	10	34	-
Wicomico	526	208	70	49	28	16	17	1	9	15	4	2	4	19	-
Worcester	284	105	40	35	12	11	8	4	3	5	3	2	2	14	-

* Includes events which occurred in Maryland only, except for Washington, D. C. residents dying in the Glenn Dale Tuberculosis Hospital. Events which were to a resident of the State have been assigned to the area of residence, but those to an out-of-State resident are assigned to the area of occurrence.

TABLE 4. DEATHS FROM ALL CAUSES, AND DEATH RATES BY RACE AND COUNTY, MARYLAND, 1961*

Area	ALL DEATHS			DEATH RATES (Per 1,000 Population)		
	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	27,462	21,970	5,492	8.6	8.3	10.2
Baltimore City	11,317	7,874	3,443	12.1	13.1	10.2
Total Counties	16,145	14,096	2,049	7.2	6.9	10.1
Allegany	952	940	12	11.4	11.4	10.1
Anne Arundel	1,330	1,061	269	6.2	5.7	8.6
Baltimore	3,293	3,125	168	6.4	6.3	9.6
Calvert	139	99	40	8.5	10.5	5.8
Caroline	251	203	48	12.8	13.0	12.0
Carroll	497	476	21	9.2	9.2	9.5
Cecil	423	387	36	8.4	8.2	11.6
Charles	248	165	83	7.4	7.3	7.4
Dorchester	403	273	130	13.5	13.2	14.2
Frederick	710	646	64	9.7	9.5	12.2
Garrett	216	215	1	10.6	10.6	--
Harford	585	496	89	7.4	7.0	11.4
Howard	278	236	42	7.4	7.1	10.3
Kent	184	140	44	11.7	11.9	11.2
Montgomery	2,170	1,999	171	6.0	5.7	12.6
Prince Georges	1,681	1,437	244	4.4	4.2	7.2
Queen Annes	192	122	70	11.4	9.9	15.4
Saint Marys	232	161	71	5.8	4.9	9.6
Somerset	279	185	94	14.3	15.2	12.9
Talbot	301	215	86	13.8	13.5	14.5
Washington	971	934	37	10.5	10.4	13.7
Wicomico	526	400	126	10.5	10.3	11.1
Worcester	284	181	103	11.9	11.6	12.6

* See footnote under Table 3.

TABLE 5. BIRTHS, STILLBIRTHS AND INFANT DEATHS BY RACE AND COUNTY, MARYLAND, 1961*

Area	Births			Stillbirths**			Infant Deaths (under one year)		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	69,600	52,232	17,368	1,174	740	434	1,850	1,139	711
Baltimore City	23,142	11,943	11,199	471	186	285	754	309	445
Total Counties	46,458	40,289	6,169	703	554	149	1,096	830	266
Allegany	2,005	1,981	24	37	36	1	35	35	-
Anne Arundel	5,186	4,397	789	73	56	17	117	91	26
Baltimore	11,615	11,133	482	154	147	7	233	217	16
Calvert	440	197	243	14	3	11	10	4	6
Caroline	354	234	120	1	-	1	9	6	3
Carroll	697	625	72	12	8	4	27	22	5
Cecil	1,297	1,191	106	12	11	1	30	30	-
Charles	788	469	319	14	9	5	32	13	19
Dorchester	557	295	262	20	11	9	21	5	16
Frederick	1,457	1,252	205	17	15	2	33	27	6
Garrett	462	462	-	14	14	-	6	6	-
Harford	2,227	1,967	260	54	44	10	52	40	12
Howard	901	792	109	6	4	2	25	20	5
Kent	367	258	109	7	5	2	10	3	7
Montgomery	5,340	4,842	498	72	64	8	126	104	22
Prince Georges	6,439	5,378	1,061	80	55	25	161	107	54
Queen Annes	354	245	109	-	-	-	3	-	3
Saint Marys	1,380	1,072	308	19	12	7	30	18	12
Somerset	415	219	196	12	6	6	12	5	7
Talbot	481	321	160	14	8	6	18	8	10
Washington	1,883	1,830	53	31	28	3	49	48	1
Wicomico	1,285	883	402	35	18	17	35	17	18
Worcester	528	246	282	5	-	5	22	4	18

* See footnote under Table 3.

** Stillbirths are fetal deaths of 20 weeks gestation or longer.

TABLE 6. BIRTH RATES, STILLBIRTH RATES AND INFANT MORTALITY RATES, BY RACE AND COUNTY, MARYLAND, 1961*

Area	Birth Rates (Per 1,000 Population)			Stillbirth Rates** (Per 1,000 Total Births)			Infant Mortality Rates (Per 1,000 Live Births)		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State	21.8	19.7	32.1	16.6	14.0	24.4	26.6	21.8	40.9
Baltimore City	24.7	19.9	33.2	19.9	15.3	24.8	32.6	25.9	39.7
Total Counties	20.6	19.7	30.4	14.9	13.6	23.6	23.6	20.6	43.1
Allegany	24.0	24.1	20.1	18.1	17.8	40.0	17.5	17.7	-
Anne Arundel	24.0	23.8	25.2	13.9	12.6	21.1	22.6	20.7	33.0
Baltimore	22.5	22.3	27.6	13.1	13.0	14.3	20.1	19.5	33.2
Calvert	27.0	20.9	35.4	30.8	15.0	43.3	22.7	20.3	24.7
Caroline	18.0	15.0	30.0	2.8	-	8.3	25.4	25.6	25.0
Carroll	13.0	12.1	32.4	16.9	12.6	52.6	38.7	35.2	69.4
Cecil	25.8	25.2	34.2	9.2	9.2	9.3	23.1	25.2	-
Charles	23.4	20.9	28.3	17.5	18.8	15.4	40.6	27.7	59.6
Dorchester	18.6	14.2	28.5	34.7	35.9	33.2	37.7	16.9	61.1
Frederick	19.9	18.4	39.0	11.5	11.8	9.7	22.6	21.6	29.3
Garrett	22.7	22.8	-	29.4	29.4	-	13.0	13.0	-
Harford	28.1	27.6	33.2	23.7	21.9	37.0	23.3	20.3	46.2
Howard	24.1	23.7	26.6	6.6	5.0	18.0	27.7	25.3	45.9
Kent	23.4	21.9	27.8	18.7	19.0	18.0	27.2	11.6	64.2
Montgomery	14.7	13.8	36.8	13.3	13.0	15.8	23.6	21.5	44.2
Prince Georges	17.0	15.6	31.3	12.3	10.1	23.0	25.0	19.9	50.9
Queen Annes	21.0	19.9	24.0	-	-	-	8.5	-	27.5
Saint Marys	34.4	32.7	41.6	13.6	11.1	22.2	21.7	16.8	39.0
Somerset	21.3	18.0	26.8	28.1	26.7	29.7	28.9	22.8	35.7
Talbot	22.0	20.2	26.9	28.3	24.3	36.1	37.4	24.9	62.5
Washington	20.3	20.3	19.7	16.2	15.1	53.6	26.0	26.2	18.9
Wicomico	25.6	22.7	35.5	26.5	20.0	40.6	27.2	19.3	44.8
Worcester	22.2	15.8	34.4	9.4	-	17.4	41.7	16.3	63.8

* See Footnote under Table 3.

** Stillbirths are fetal deaths of 20 weeks gestation or longer.

TABLE 7. RECORDED* BIRTHS BY RACE AND COUNTY, 1961

Area	Total	White	Nonwhite
Maryland State	69,600	52,232	17,368
Baltimore City	36,190	26,137	12,053
Total Counties	31,410	26,095	5,315
Allegheny	2,042	2,017	25
Anne Arundel	3,106	2,558	546
Baltimore	81	62	19
Calvert	410	166	244
Caroline	17	1	16
Carroll	142	128	14
Cecil	1,043	950	93
Charles	554	306	248
Dorchester	514	267	247
Frederick	1,613	1,396	217
Garrett	437	437	-
Harford	2,280	2,011	269
Howard	14	9	5
Kent	508	360	148
Montgomery	6,551	6,007	544
Prince Georges	5,537	4,439	1,098
Queen Annes	3	1	2
Saint Marys	1,370	1,065	305
Somerset	234	125	109
Talbot	1,044	703	341
Washington	1,919	1,866	53
Wicomico	1,872	1,215	657
Worcester	119	6	113

* Births are shown in the area in which they occur.

TABLE 8.
 MARYLAND ESTIMATED POPULATION, BY RACE AND COUNTY, JULY 1, 1961

Area	Total	White	Nonwhite
Maryland State	3,188,341	2,648,036	540,305
Baltimore City	936,749	599,068	337,681
Total Counties	2,251,592	2,048,968	202,624
Allegany	83,495	82,301	1,194
Anne Arundel	215,950	184,628	31,322
Baltimore	515,829	498,376	17,453
Calvert	16,301	9,432	6,869
Caroline	19,619	15,625	3,994
Carroll	53,790	51,570	2,220
Cecil	50,328	47,232	3,096
Charles	33,741	22,486	11,255
Dorchester	29,902	20,715	9,187
Frederick	73,160	67,902	5,258
Garrett	20,315	20,271	44
Harford	79,146	71,306	7,840
Howard	37,456	33,359	4,097
Kent	15,711	11,793	3,918
Montgomery	363,453	349,920	13,533
Prince Georges	378,221	344,285	33,936
Queen Annes	16,823	12,285	4,540
Saint Marys	40,166	32,760	7,406
Somerset	19,483	12,178	7,305
Talbot	21,853	15,916	5,937
Washington	92,792	90,099	2,693
Wicomico	50,250	38,913	11,337
Worcester	23,808	15,618	8,190



